Wall Mounted Menu Board LCD Display

Gold/ Black/ Silver



- Slim Black Bezel
- Ultra Slim Enclosure Designed, 18mm Thickness
- Surface Designed with High Transparency Tempered Glass, Aluminum Alloy Frame Cover
- Industrial LCD Panel
- Industrial Android Motherboard
- Built-in Content Management System
- Support USB-Plug Display / Remote Information Control
- Fanless and Low-power System

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED

Model	MB32
Panel Information	
Panel Size	32”
Panel Type	a-Si TFT-LCD, E-LED
Active Area	697.40 x 391.85 mm (26.75" x 15.5")
Resolution	1920 x 1080
Brightness	300 Nits
Contrast Ratio	1400:1
Viewing Angle	178/178
Aspect Ratio	16:9
LED Life Time	50,000 hours
Motherboard	
Operating System	Android 5.1 (Option: Windows OS)
CPU	Quad Core 1.8GHz 64bits, RK3288
Memory	DDR3 2G
Storage	TSD Flash 8G
Network	Wifi, RJ45
Languages	English, Germany, French, Italian, Japanese, Korean, Russian, Spanish, etc.
I/O Ports	USB 2.0 x2, Micro USB OTG x1, Stereo Mini Jack 3.5mm x1, RJ45 x1, HDMI Out x1 Standard MicroSD Card Slot x1 (Support Max 32G)
Speakers	8W x2
Environment	
Operating System	0°C ~ 50°C
Storage System	-20°C ~ 60°C
Power	
Power Supply	96~264 V
Rated Frequency	50/60Hz
Mechanical	
Package	840 x 130 x 490 mm (33" x 5" x 19")
G.Weight	15 KG (33 lbs.)
Accessories	
Power Cord x1, Remote Control x1, Digital Manual x1, Key x1	

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED





900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

Model	MB43
Panel Information	
Panel Size	43”
Panel Type	a-Si TFT-LCD, E-LED
Active Area	697.40 x 391.85 mm (27.5" x 15.5")
Resolution	1920 x 1080
Brightness	300 Nits
Contrast Ratio	1400:1
Viewing Angle	178/178
Aspect Ratio	16:9
LED Life Time	50,000 hours
Motherboard	
Operating System	Android 5.1 (Option: Windows OS)
CPU	Quad Core 1.8GHz 64bits, RK3288
Memory	DDR3 2G
Storage	TSD Flash 8G
Network	Wifi, RJ45
Languages	English, Germany, French, Italian, Japanese, Korean, Russian, Spanish, etc.
I/O Ports	USB 2.0 x2, Micro USB OTG x1, Stereo Mini Jack 3.5mm x1, RJ45 x1, HDMI Out x1 Standard MicroSD Card Slot x1 (Support Max 32G)
Speakers	8W x2
Environment	
Operating System	0°C ~ 50°C
Storage System	-20°C ~ 60°C
Power	
Power Supply	96~264 V
Rated Frequency	50/60Hz
Mechanical	
Package	1040 x 130 x 680 mm (41" x 5" x 27")
G.Weight	24 KG (53 lbs.)
Accessories	
Power Cord x1, Remote Control x1, Digital Manual x1, Key x1	

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display





900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED

Model	MB49
Panel Information	
Panel Size	49”
Panel Type	a-Si TFT-LCD, E-LED
Active Area	1072.8 x 603 mm (42" x 24")
Resolution	1920 x 1080
Brightness	300 Nits
Contrast Ratio	1400:1
Viewing Angle	178/178
Aspect Ratio	16:9
LED Life Time	50,000 hours
Motherboard	
Operating System	Android 5.1 (Option: Windows OS)
CPU	Quad Core 1.8GHz 64bits, RK3288
Memory	DDR3 2G
Storage	TSD Flash 8G
Network	Wifi, RJ45
Languages	English, Germany, French, Italian, Japanese, Korean, Russian, Spanish, etc.
I/O Ports	USB 2.0 x2, Micro USB OTG x1, Stereo Mini Jack 3.5mm x1, RJ45 x1, HDMI Out x1 Standard MicroSD Card Slot x1 (Support Max 32G)
Speakers	8W x2
Environment	
Operating System	0°C ~ 50°C
Storage System	-20°C ~ 60°C
Power	
Power Supply	96~264 V
Rated Frequency	50/60Hz
Mechanical	
Package	1170 x 130 x 750 mm (46" x 5" x 30")
G.Weight	28 KG (62 lbs.)
Accessories	
Power Cord x1, Remote Control x1, Digital Manual x1, Key x1	

custom lights & staging systems, inc.

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display



900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED

Model	MB55
Panel Information	
Panel Size	55”
Panel Type	a-Si TFT-LCD, E-LED
Active Area	1208.6 x 679.4 mm (47.5" x 27")
Resolution	1920 x 1080
Brightness	300 Nits
Contrast Ratio	1400:1
Viewing Angle	178/178
Aspect Ratio	16:9
LED Life Time	50,000 hours
Motherboard	
Operating System	Android 5.1 (Option: Windows OS)
CPU	Quad Core 1.8GHz 64bits, RK3288
Memory	DDR3 2G
Storage	TSD Flash 8G
Network	Wifi, RJ45
Languages	English, Germany, French, Italian, Japanese, Korean, Russian, Spanish, etc.
I/O Ports	USB 2.0 x2, Micro USB OTG x1, Stereo Mini Jack 3.5mm x1, RJ45 x1, HDMI Out x1 Standard MicroSD Card Slot x1 (Support Max 32G)
Speakers	8W x2
Environment	
Operating System	0°C ~ 50°C
Storage System	-20°C ~ 60°C
Power	
Power Supply	96~264 V
Rated Frequency	50/60Hz
Mechanical	
Package	1310 x 130 x 830 mm (51.5" x 5" x 33")
G.Weight	34 KG (75 lbs.)
Accessories	
Power Cord x1, Remote Control x1, Digital Manual x1, Key x1	

custom lights & staging systems, inc.

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display





900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED

Model	MB65
Panel Information	
Panel Size	65”
Panel Type	a-Si TFT-LCD, E-LED
Active Area	1427.5 x 802.5 mm (56" x 32")
Resolution	1920 x 1080
Brightness	300 Nits
Contrast Ratio	1400:1
Viewing Angle	178/178
Aspect Ratio	16:9
LED Life Time	50,000 hours
Motherboard	
Operating System	Android 5.1 (Option: Windows OS)
CPU	Quad Core 1.8GHz 64bits, RK3288
Memory	DDR3 2G
Storage	TSD Flash 8G
Network	Wifi, RJ45
Languages	English, Germany, French, Italian, Japanese, Korean, Russian, Spanish, etc.
I/O Ports	USB 2.0 x2, Micro USB OTG x1, Stereo Mini Jack 3.5mm x1, RJ45 x1, HDMI Out x1 Standard MicroSD Card Slot x1 (Support Max 32G)
Speakers	8W x2
Environment	
Operating System	0°C ~ 50°C
Storage System	-20°C ~ 60°C
Power	
Power Supply	96~264 V
Rated Frequency	50/60Hz
Mechanical	
Package	1530 x 130 x 950 mm (60" x 5" x 37.5")
G.Weight	42 KG (93 lbs.)
Accessories	
Power Cord x1, Remote Control x1, Digital Manual x1, Key x1	

custom lights & staging systems, inc.

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display





900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display



900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED

■ Built-in High Performance Android OS

With RK3288 solution, the motherboard for the display has a built-in Quad Core1.8GHz CPU, with DDR 2G ram & 8G rom. This high specification supports real 4K UHD information with media player.



■ iDs6 Content Management System

Allows user to log in to the server anytime to design, edit, customize and upload different contents. All terminals (Displays) can be controlled via local network or remote server.



Allows each terminal to display videos, pictures, H5 Website, APP, IPTV, etc, with split screen mode.



Allows user to preset different broadcast times and time periods, making it highly efficiency to manage all promotional advertisement and establish a marketing strategy. All displays can be controlled individually to power on/off, and start/end display. Easy management solution for all users.



custom lights & staging systems, inc.

900 63rd Avenue North I P.O. Box 90465 I Nashville TN 37209
Office: 615-350-7800 I Toll Free: 800-251-2200
Fax: 615-350-8310 I info@dandpcustomlights.com

Wall Mounted Menu Board LCD Display

illumiLED

- **Interface Tempered Glass 4MM**

- **Aluminum Alloy Frame Design**



- **Ultra Slim Enclosure 18MM**

- **In Landscape/ Portrait**